

Photon Beam PK52

家庭娛樂 4K UHD 投影機-睛嘆號



PK52 睛嘆號 讓您在任何日常空間都能享受明亮的 4K UHD 視覺饗宴。擁有 3,500 流明亮度、支援 HDR、搭載 PureEngine 技術及長效雷射光源，以其小巧、易於安裝的設計，呈現出鮮豔的色彩與流暢的效能。

觀賞 4K 畫質。看見您最喜愛的電影和節目呈現出更銳利的細節與更清晰的影像 — 讓日常觀影體驗倍感生動。

- Optoma PureEngine 技術能強化每一個場景：PureDetail 呈現更銳利的紋理、PureContrast 帶來更深沉的黑色與更明亮的亮部細節、PureMotion 確保動態畫面流暢，並始終保持鮮豔的色彩。
- 體驗導演的創作初衷 — 只需一鍵點擊，即可恢復原始的幀率、色彩和寬高比，享受真正的電影級觀影體驗。



規格

顯示/影像

技術規格	DLP™
解析度	4K UHD (3840x2160)
亮度	3,500 lumens
對比度	1,500,000:1
原始畫面比例	16:9
相容畫面比例	4:3, 16:9
水平梯形校正	+/-30°
垂直梯形校正	+/-30°
水平掃描率	15~255 KHz
垂直掃描率	25~120Hz
均勻度	80%
螢幕尺寸	28吋 ~ 300吋 (機構行程, 82吋最佳化) 對角線
色域	Rec.709



光源

光源類型	Laser Phosphor
光源壽命	30,000 hours (Eco mode)

光學

投射比	1.21 ~ 1.59
投射距離	1000 mm ~ 8000 mm (28” ~ 300”)
變焦	1.3x
變焦類型	Manual
焦距	12.81 mm ~ 16.74 mm
原始偏移	105%±5%

連接埠

輸入	HDMI 2.0 x2 (one supports ARC out)
輸出	USB-A power 1.5A x1, Audio out 3.5mm x1
控制	RS232 x1, 12V trigger x1

一般規格

噪音☒ (節能模式)	28 dB
噪音☒ (明亮模式)	33 dB
PC相容性	UHD, FHD, UXGA, SXGA, WXGA, HD, XGA, SVGA, VGA, Mac
2D 相容性	480i/p, 576i/p, 720p (50/60Hz),1080i (50/60Hz), 1080p (24/30/50/60/120Hz), 2160p (24/30/50/60Hz)
安全性	防盜安全鎖桿, Kensington 防盜鎖孔, 密碼保護介面 支援 27 種語言：
OSD / 顯示語言	阿拉伯語、捷克語、丹麥語、荷蘭語、英語、波斯語 (Farsi)、芬蘭語、法語、德語、希臘語、匈牙利語、印尼語、義大利語、日語、韓語、挪威語、波蘭語、葡萄牙語、羅馬尼亞語、俄語、簡體中文、西班牙語、瑞典語、泰語、繁體中文、土耳其語、越南語
全天候運作	Yes
360° 運作	Yes
運作條件	最高運作溫度：0 ~ 40°C ；公差 +/- 2°C 最高運作海拔：10,000 英尺 (適用於 0°C~30°C 環境) 最高運作濕度：80% RH (非冷凝)
遙控器	背光遙控器
喇叭數量/喇叭瓦數	1 x 15W
盒內配件	AC 電源線 遙控器 快速入門使用手冊

Copyright © Optoma 2025, Optoma and its logo is a registered trademark of Optoma Corporation and its affiliates (“Optoma”). All other product names and company names used herein are for identification purposes only and may be trademarks or registered trademarks of their respective owners other than Optoma, and Optoma disclaims any and all rights in these marks. All specifications are subject to change without notice. All images are for representation purposes only and may be simulated or AI generated content.

規格

網路

LAN 控制	N/A
--------	-----

電源

電源供應	AC 100 ~ 240 V, 50 ~ 60 Hz
功耗 (待機)	0.5 W
功耗 (節能模式)	85 W (typical), 98 W (max) @110V AC 83 W (typical), 96 W (max) @220V AC
功耗 (明亮模式)	150 W (typical), 173 W (max) @110V AC 148 W (typical), 170 W (max) @220V AC

重量與尺寸

尺寸 (寬 x 深 x 高)	W/o feet: 274 mm x 215.5 mm x 101 mm / 10.8” x 8.5” x 4.0” With feet: 274 mm x 215.5 mm x 114 mm / 10.8” x 8.5” x 4.5”
毛重	4.5 Kg ± 0.2 kg / 9.92 lbs ± 0.44 lbs
淨重	3.4 Kg ± 0.2 kg / 7.50 lbs ± 0.44 lbs