Photon Life PK32

4K UHD 4LED 投影機-正能亮 Pro



PK32 正能亮 Pro 享受清晰的 4K 畫質，採用簡潔的外觀、便於攜帶的設計。特色包括 4LED 高亮度、HDR 支援、低輸入延遲，以及自動對焦和自動梯形校正功能，非常適合放鬆的電影之夜和休閒遊戲。快速簡便的設置 ，插上電源即可開始觀看。

清晰的 4K UHD 畫質，為電影、節目和遊戲提供驚人的解析度

- 低至 4.6 毫秒的低輸入延遲，確保流暢、反應靈敏的遊戲體驗
- 簡潔的外觀設計，配備自動梯形校正和自動對焦，快速便捷地完成設置



Copyright © Optoma 2025, Optoma and its logo is a registered trademark of Optoma Corporation and its affiliates (“Optoma”). All other product names and company names used herein are for identification purposes only and may be trademarks or registered trademarks of their respective owners other than Optoma, and Optoma disclaims any and all rights in these marks. All specifications are subject to change without notice. All images are for representation purposes only and may be simulated or AI generated content.

規格

顯示/影像規格

顯示技術	DLP®
解析度	4K UHD (3840x2160)
亮度 (HK)	2000 HK lumens
對比度 (動態)	250,000:1
原生顯示比例	16:9
顯示比例	21:9/16:9/4:3/1:1
水平更新率	15 KHz ~ 255 KHz
垂直更新率	23 Hz ~ 240 Hz
均勻度	90%
投影尺寸	60" ~ 150" (60" ~ 120"，⊠用自動梯形修正）
色彩表現	125% REC709 95% DCI-P3
梯形校正	H +/-30 度 ; V+/-30 度
360度投影	Yes
24小時運作	Yes

光源規格

光源類型	RGB LED (4LED)
光源壽命	30,000 hours (eco mode)

光學規格

投射比	1.127-1.46
投影距離	1,718 公釐 ~ 4,295 公釐（對應 60" ~ 150"） 1,718 公釐 ~ 3,436 公釐（對應 60" ~ 120"，⊠用自動梯形修正）
變焦	1.3
鏡頭變焦類型	Optical
焦距 (毫米)	11.9 mm ~ 15.5 mm
鏡頭位移	N/A
原生偏移	105%±3%

Copyright © Optoma 2025, Optoma and its logo is a registered trademark of Optoma Corporation and its affiliates (“Optoma”). All other product names and company names used herein are for identification purposes only and may be trademarks or registered trademarks of their respective owners other than Optoma, and Optoma disclaims any and all rights in these marks. All specifications are subject to change without notice. All images are for representation purposes only and may be simulated or AI generated content.

規格

連線方式

連接埠-輸入	HDMI 2.0x2(HDMI2 support ARC/eARC) USB Type C(Display & power output 5V/2A)
連接埠-輸出	Audio 3.5mm ; USB-A power 5V/2A
喇叭	5W x2

基本規格

噪音☒ (一般)	27 dB (Eco mode)
噪音☒ (最大)	31 dB (Bright mode)
電腦相容性	UHD, FHD, UXGA, SXGA, WXGA, HD, XGA, SVGA, VGA, Mac
2D相容性	480i/p, 576i/p, 720p(50/60Hz), 1080i(50/60Hz), 1080p(50/60Hz), 2160p(24/25/30/50/60Hz)
3D 相容性	DLP 3D PC source 50/60/100/120Hz and Video source 50/60Hz(PC-frame sequential) HDMI(PC) support timing：640x480, 800x600, 1024x768, 1280x800, 1920x1080@50/60(PC-frame sequential)
3D	3D ready(PC-frame sequential)
安全機制	防盜鎖, Kensington 防盜鎖, 以密碼保護的介面
OSD使用介面語言	27 languagesArabic, Czech, Danish, Dutch, English, Farsi, Finnish, French, German, Greek, Hungarian, Indonesian, Italian, Japanese, Korean, Norwegian, Polish, Portuguese, Romanian, Russian, Simplified Chinese, Spanish, Swedish, Thai, Traditional Chinese, Turkish, Vietnamese
操作條件	Max Temperature (operating): 0 ~ 40°C; Tolerance +/- 2°C Max Altitude (operating): 10,000 ft., for 0°C~30°C Max humidity (operating): 80% RH, non-condensing
遙控器	紅外線遙控器
標準配件	電源線 遙控器 基本使用手冊
輸入延遲(最小	4.6ms
IP等級	IP5X

Copyright © Optoma 2025, Optoma and its logo is a registered trademark of Optoma Corporation and its affiliates (“Optoma”). All other product names and company names used herein are for identification purposes only and may be trademarks or registered trademarks of their respective owners other than Optoma, and Optoma disclaims any and all rights in these marks. All specifications are subject to change without notice. All images are for representation purposes only and may be simulated or AI generated content.

規格

網路連接

LAN 網路控制	No

電源規格

消耗功率	AC 100 ~ 240V, 50 ~ 60 Hz
消耗功率 (待機)	70W (typical) , 103W (max) @110 Vac 69W (typical) , 102W (max) @220 Vac
消耗功率 (最大)	130W (Typical) , 162W (Max) @110 Vac 128W (Typical) , 160W (Max) @220 Vac

重量與尺寸

尺寸 (寬 x 深 x 高) 公厘	W/o feet: 238 x 215 x 117.7 mm / 9.37” x 8.46” x 4.64” With feet: 238 x 215 x 130 mm / 9.37” x 8.46” x 5.12”
毛重	4.5 kg ± 0.2 kg / 9.92 lbs ± 0.44 lbs
淨重	2.7 kg ± 0.2kg / 5.95 lbs ± 0.44 lbs

Copyright © Optoma 2025, Optoma and its logo is a registered trademark of Optoma Corporation and its affiliates (“Optoma”). All other product names and company names used herein are for identification purposes only and may be trademarks or registered trademarks of their respective owners other than Optoma, and Optoma disclaims any and all rights in these marks. All specifications are subject to change without notice. All images are for representation purposes only and may be simulated or AI generated content.