ZU602

輕巧機身，商用與教育首選雷射投影機



Optoma ZU602 是一款輕巧型 WUXGA 雷射投影機，具備 6,250 流明高亮度、靈活的安裝方式與低維護需求，適用於商務、教育、展覽、博物館、宗教場所及其他專業應用環境。
在明亮環境下，依然呈現清晰鮮明的畫面，亮度高達 6,250 流明。

- 具備 1.7 倍變焦與垂直鏡頭位移功能，安裝配置更靈活、便利。
- 透過 Optoma Management Suite Cloud（OMSC），輕鬆實現設備集中監控與管理。
- Optoma Smart Control：透過行動裝置，即可輕鬆完成智慧畫面校正、設備控制與狀態監控。
- 採用 DuraCore 雷射技術，提供最長 30,000 小時免維護運作。



Copyright © Optoma 2025, Optoma and its logo is a registered trademark of Optoma Corporation and its affiliates (“Optoma”). All other product names and company names used herein are for identification purposes only and may be trademarks or registered trademarks of their respective owners other than Optoma, and Optoma disclaims any and all rights in these marks. All specifications are subject to change without notice. All images are for representation purposes only and may be simulated or AI generated content.

規格

顯示器

顯示技術	DLP®
解析度	WUXGA (1920x1200)
亮度	6,250 Lumens
對比度	3,000,000:1
原生畫面比例	16:10
相容畫面比例	4:3, 16:9, 16:10, Full, Native, Auto
水平梯形校正	+/-30°
垂直梯形校正	+/-30°
水平掃描頻率	15~140 KHz
垂直掃描頻率	24~120 Hz
亮度均勻度	85%
投影畫面尺寸	30"~300" optimized at 82"

光源

光源種類	Laser
光源壽命	30,000 hours (Eco mode)

光學規格

投射比	1.2 ~ 2.04
投影距離	0.78m to 7.91 m mechanism travel, optimized at 82” @ 2.125m (6.972”)
變焦倍率	1.7x
變焦類型	Manual
焦距	17.63 mm ~ 27.9 mm
鏡頭位移	Vertical 100% ~ 120% ± 3%
原生偏移量	100%~120%

連接性

連接端子－輸入端口	2 x HDMI 2.0 (HDCP2.3), 1 x VGA In, 1 x Audio 3.5mm
連接端子－輸出端口	1 x VGA Out,1 x USB-A 2.0 (5V/1.5A Powered Out), 1 x 3D sync out, 1 x Audio 3.5mm
連接端子－控制	1 x RJ45, 1 x RS232, 1 x 12V trigger, 1 x USB-A 2.0 for Bluetooth Dongle

Copyright © Optoma 2025, Optoma and its logo is a registered trademark of Optoma Corporation and its affiliates (“Optoma”). All other product names and company names used herein are for identification purposes only and may be trademarks or registered trademarks of their respective owners other than Optoma, and Optoma disclaims any and all rights in these marks. All specifications are subject to change without notice. All images are for representation purposes only and may be simulated or AI generated content.

規格

一般規格

最低噪音⌧	27 dB(A)
最高噪音⌧	33 dB(A)
電腦相容性	VGA,SVGA,XGA,720p,WXGA,SXGA,SXGA+,UXGA,1080p,WUXGA
2D相容性	NTSC,PAL,SECAM,SDTV,HDTV,UHD
3D相容性	Supports all HDMI 1.4a mandatory 3D formats (Frame pack, side-by-side, top-bottom) and up converts frame rate from 60Hz to 120Hz or 24Hz to 144Hz
安全設置	Kensington Lock, Password protected interface
螢幕選單（OSD）／顯示語言	27 languages: Arabic, Czech, Danish, Dutch, English, Farsi, Finnish, French, German, Greek, Hungarian, Indonesian, Italian, Japanese, Korean, Norwegian, Polish, Portuguese, Romanian, Russian, Simplified Chinese, Spanish, Swedish, Thai, Traditional Chinese, Turkish, Vietnamese
24 小時全天候運作（全年無休）	Yes
360° 全方位安裝與運作	Yes
操作環境條件	Max Temperature(operating): 0 ~ 40°C; Tolerance +/- 2°C, Max Altitude(operating): 10,000 ft., for 0°C~30°C, Max humidity(operating): 80% RH, non-condensing
遙控器	Business remote control
喇叭數量與單體功率	2 x 15W
輸入延遲時間	4K/ 60Hz: 16.2 ms 1080P/ 60Hz: 16.2 ms 1080P/ 120Hz: 8.2 ms
包裝盒內配件	Power cord Remote control BT dongle Quick start user manual

網路功能

LAN 網路控制	Yes (OMSC, OMSL, PJLink Class II, Telnet, Crestron v2.0, Extron, AMX Device Discovery, web control)

電源

電源供應規格	AC 100 ~ 240 V, 50 ~ 60 Hz
待機功耗	≤0.5 W
節能模式功耗	174 W ± 15% @110VAC 168 W ± 15% @220VAC
高亮度模式功耗	263 W ± 15% @110VAC 252 W ± 15% @220VAC

Copyright © Optoma 2025, Optoma and its logo is a registered trademark of Optoma Corporation and its affiliates (“Optoma”). All other product names and company names used herein are for identification purposes only and may be trademarks or registered trademarks of their respective owners other than Optoma, and Optoma disclaims any and all rights in these marks. All specifications are subject to change without notice. All images are for representation purposes only and may be simulated or AI generated content.

規格

重量與尺寸

尺寸（寬 × 深 × 高）	W/o feet: 337 x 265 x 108 mm (13.27 x 10.43 x 4.25 inches) With feet: 337 x 265 x 122.5mm (13.27 x 10.43 x 4.82 inches)
毛重（含包裝）	6.3 kg / 15.2 lbs
淨重（不含包裝）	4.9 kg / 10.8 lbs

適用軟體

Optoma Management Suite Cloud	Yes
Optoma Smart Control App	Yes

Copyright © Optoma 2025, Optoma and its logo is a registered trademark of Optoma Corporation and its affiliates (“Optoma”). All other product names and company names used herein are for identification purposes only and may be trademarks or registered trademarks of their respective owners other than Optoma, and Optoma disclaims any and all rights in these marks. All specifications are subject to change without notice. All images are for representation purposes only and may be simulated or AI generated content.