



Optoma Creative Touch 53 Series Interactive Flat Panel Displays

Smart Business Solutions

The new-gen Creative Touch 53 Series premium interactive flat panel displays

Optoma Creative Touch 53 Series provides true 4K UHD resolution, Android 13.0 system, and quad-core processing processors, which are designed to create an excellent and smooth collaboration and interaction experience for the next generation of smarter classrooms and meeting spaces.

Optoma Interactive Flat Panel Displays has built-in Optoma exclusive OSS (Optoma Solution Suite), including Whiteboard, Display Share, file manager, and OMS and other applications, whether it is touch or writing, wireless sharing, interactive collaboration, or device management, all can be done easily.

Powerful Hardware

- Quad-core CPU
- Android 13.0 OS
- 8G DDR4 + 64G ROM
- 18W x2 speakers
- 2.4G / 5G WiFi support (optional)



Clear image

- 4K Ultra HD 60Hz
- 4K UI design
- HDR10 support



Google-EDLA Certified

- Native Android OS for the most up to date features
- Access to Google Play, Google Mobile Services, and more
- Enhanced security such as two-step authentication and data encryption

Natural writing experience

- Less than 0.99mm air gap
- 4096 pressure sensitivity
- Using the Optoma quick launch pen with pen holder detection

New touch frame

- Up to 50 touch points (windows), 32 points Android
- Low parallax 0.6mm air gap
- Recognize 3mm small object size
- Touch response time <= 5ms



Eye protection

- Low blue light (TUV certified)
- Flicker Free (TUV certified)
- Dim brightness when writing
- Anti-glare and anti-fingerprint coating
- Current dimming to remove flicker
- Automatic brightness adjustment



Optoma file manager

- Cloud storage (Google/MS/Dropbox)
- File upload wirelessly
- QR code download (LAN)



High security

- Screen lock & OSD lock
- Advanced password for adv. setting
- USB storage / Wi-Fi disable
- Pin code to protect personal cloud drive



Quick-draw pen

Be ready to start any lesson in seconds. The included quick-draw pen instantly activates the whiteboard application, saving the time and energy spent on having to manually change modes.



Smart Business Solutions

Optoma Smart Whiteboard

Creative sharing is easy with built-in annotation tools to help facilitate collaboration in the meeting. Designed for hybrid working, Whiteboard provides smart collaboration and connectivity features for any meeting room. Work simultaneously. Two teams or individuals can work together from two separate locations in real-time.

Embedded browser

Access to websites without leaving the whiteboard

Display Share

Break the Cable Barrier: Embrace Wireless Screen Mirroring!

Get ready for the ultimate wireless experience! Optoma Display Share software, featured by color aid, makes it a breeze to connect your devices and share your content on the big screen. Say goodbye to cables and hello to seamless screen mirroring of high-quality images, videos, and documents from your phone, laptop, or PC. Teachers and students will love the moderation and remote view modes, making wireless classes and note-taking more interactive and engaging than ever. Experience the future of screen sharing with Display Share, and it would be the key to unlocking effortless collaboration!



Simple wireless sharing and mirroring easily from any device

Optoma Creative Cast Pro provides a light indicator display function. When pairing a wireless device, you only need to confirm whether the lights on the device match the colors. After pairing, you can quickly stream content.

AI Handwriting Recognition

Optoma Whiteboard supports AI handwriting recognition which can convert your handwritten letters and words to typed texts.

*Support English & Traditional Chinese languages

Multi-window demonstration

Through Creative Cast Pro, you can import 32 device images to be shared simultaneously, and display up to four split images simultaneously on the interactive touch screen device. The PC version of the Creative Cast Pro APP also has a moderator function to manage and select the device content you want to share.



Optoma NFC reader

With the scanning of a QR with your phone or a swipe of an NFC card, login into Optoma's interactive flat panel display and have all your settings at your fingertips in an instant. Start a meeting, lesson, or brainstorming session in mere seconds.

*To support account login via NFC, optional NFC sensor box (WL10C) is required to be installed.

IT management solution via OMS (Optoma Management Suite)



Optoma Management Suite (OMS)™ is an intuitive cloud based display management solution, designed to streamline operations by monitoring, diagnosing and controlling audio visual displays from anywhere in the world via a single platform (WiFi access required).




Specifications

SIZE	65"	75"	86"
MODEL	5653RK	5753RK	5863RK
DISPLAY			
Back Light	D-LED		
Resolution	4K UHD (3,840 × 2,160)		
Brightness	400 cd / m ²	420 cd / m ²	450 cd / m ²
Contrast Ratio	4,000 : 1 (6,000 : 1 in DC mode)	4,000 : 1 (6,000 : 1 in DC mode)	4,000 : 1 (4,500 : 1 in DC mode)
Viewing Angle	178°		
Response Time (Typ.)	6.5mm		
Life	50,000 hours		
Display Colors	1.07 B (10 bit)		
Speakers	18W stereo speakers ×2 + 8W subwoofer ×2		
Surface Hardness	3.2mm Toughened Glass with 7H Mohs Standard		
Glass	Anti-glare + Anti Fingerprint		
POWER			
Power Supply	100 - 240V, 50 / 60Hz		
Standby Power	≤ 0.5W		
Power Consumption	415W	530W	570W
DIMENSIONS			
Display Dimension L × H × D (mm)	1,488 × 908 × 86	1,709 × 1,031 × 86	1,957 × 1,171 × 86
Dimension (package) L × H × D (mm)	1,628 × 1,005 × 208	1,863 × 1,140 × 225	2,110 × 1,291 × 225
VESA Mount Standard	✓		
Net Weight	39 kg	52 kg	64 kg
Gross Weight	49 kg	61 kg	80 kg
CONNECTIVITY			
HDMI 2.0 In	4 (v2.0, Front ×1, Side ×3)		
HDMI 2.0 Out	1 (v2.0, 4K@60Hz)		
VGA In	-		
Audio In	1		
Audio Out	1		
SPDIF	1		
USB 2.0	1 (Firmware upgrade)		
USB 3.0	4 (Front ×2, Side ×2)		
USB Type C In	Front ×1 & Rear ×1 (both support 3.1 gen 1, 5 Gbit/s data transmission, DisplayPort 1.2 Alt Mode, 100M LAN network sharing) & Front port supports 100W power delivery (Limited to 65W while using OPS) & Rear port support 15W power delivery.		

SIZE	65"	75"	86"
MODEL	5653RK	5753RK	5863RK
USB Type C Out	Front ×1, DisplayPort 1.2, video out (4K@60Hz) & touch signal out.		
DP In	1 (v1.2)		
OPS Slot	✓		
RS232	1		
LAN (RJ45)	2 (Support 10 / 100 / 1,000 Mbps)		
TOUCH SYSTEM			
Touch Type	Ultra-fine Infrared (IR)		
System Compatibility	Windows 10 / Windows 11 / Linux / Mac OS / Android / Chrome		
Touch Point	Up to 50 points touch (32 points touch in Android, 50 points touch in Windows, 10 points writing)		
Accuracy	< 1 mm		
Air Gap	Gen 2 Zero Bonding (0 ~ 0.6mm)		
Writing Tools	Fingers, Passive Infrared Pen		
EMBEDDED SYSTEM			
System Version	Android 13.0		
CPU	RK3588 (Quad Core A76 + Quad Core A55)		
GPU	ARM Quad - core Mali - G610 MC4		
RAM	8 GB		
ROM	64 GB		
WiFi (optional)	2.4G + 5G (By accessory)		
Bluetooth	Based On Optional Accessory		
ACCESSORIES			
AC Power Cable	ROA (US / UK / EU) / India (IN / UK / EU) - 3m		
Writing Pen	2 (SW13F)		
Pen Holder	✓ (Occupies one USB port)		
Remote Control	✓		
Basic User Manual	✓		
WiFi Adapter	Optional (SI07B)		
Wall Mount	Optional (OWMFP05)		
APPS & SOFTWARE			
Display Share	✓		
Whiteboard	✓		
OMS	✓ (Optional)		
Annotation	✓		
AirShare	✓		
File Manager	✓ (with cloud storage support)		
OTA Software Update	✓		
Auto Pen Detection	✓		
Joan Meeting	✓		



Optional Accessories




OWMFP05

• Mobile Trolley



ST41B



Wi-Fi Dongle / SI07B

WL10C Sensor Box

Optoma Corporation

12F., No.213, Sec. 3, Beixin Rd., Xindian Dist., New Taipei City 231, Taiwan (R.O.C.)
Tel : +886-2-8911-8600 Fax : +886-2-8911-6550
Email : services@optoma.com.tw / sales.india@optoma.com
www.optoma.co.in

Version number : OPINP2407A

Copyright © 2024, Optoma and its logo is a registered trademark of Optoma Corporation. All other product names and company names used herein are for identifications purposes only and may be trademarks or registered trademarks of their respective owners. Features and specification may change without notice. All images are for representation purposes only and may be simulated.



Dealer's Stamp :